

# Natural Slate Paving & Landscaping



## Natural Slate Blanks



These are produced from our excellent quality Brazilian Raven-dale Graphite and Elterdale Grey Green slates. They have a light natural textured finish, and they are supplied naturally with sawn edges. But we do have access to workshop facilities and can therefore supply in a wide range of bespoke sizes and finishes.

Commonly used for steps, hearths, copings, cills, worktops and much more.

We stock an extensive range of standard sizes...see below

For your bespoke Hearth needs please try our Hearth Calculator on our website.

For any other bespoke enquiries call us and we can deal with it.



Unit 15 & 16, Airfield Approach Business Park  
Flookburgh  
Grange over Sands  
Cumbria  
LA11 7NG  
England

Telephone: 015395 59289  
Fax: 015395 58078  
E-mail: [sales@ukslate.com](mailto:sales@ukslate.com)

[www.ukslate.com](http://www.ukslate.com)



# Natural Slate Blank Stock Sizes



## Ravendale® Graphite Riven Slate Calibrated Thickness

Size	Thickness
1200 x 300mm	30mm
1500 x 300mm	30mm
1800 x 300mm	30mm
1200 x 450mm	30mm
1500 x 450mm	30mm
1800 x 450mm	30mm
2200 x 450mm	30mm
1200 x 600mm	30mm
1500 x 600mm	30mm
1800 x 600mm	30mm
2200 x 600mm	30mm
900 x 900mm	30mm
1200 x 900mm	30mm
1500 x 900mm	30mm
1200 x 750mm	30mm
1500 x 750mm	30mm
1800 x 650mm	30mm
1200x1200mm	30mm
1200 x 300mm	20mm
900 x 900mm	20mm
1200 x 900mm	20mm
1500 x 900mm	20mm
1800 x 650mm	20mm
1200 x 600mm	20mm

Unit 15 & 16, Airfield Approach Business Park  
Flookburgh  
Grange over Sands  
Cumbria  
LA11 7NG  
England

Telephone: 015395 59289  
Fax: 015395 58078  
E-mail: [sales@ukslate.com](mailto:sales@ukslate.com)

[www.ukslate.com](http://www.ukslate.com)



# Natural Slate Blank Stock Sizes



## Elterdale® GreyGreen Riven Slate Calibrated Thickness

Size	Thickness
1200 x 300mm	30mm
1200 x 450mm	30mm
1200 x 600mm	30mm
1200 x 900mm	30mm
1200x1200mm	30mm

Unit 15 & 16, Airfield Approach Business Park  
Flookburgh  
Grange over Sands  
Cumbria  
LA11 7NG  
England

Telephone: 015395 59289  
Fax: 015395 58078  
E-mail: [sales@ukslate.com](mailto:sales@ukslate.com)

[www.ukslate.com](http://www.ukslate.com)

